

Custom CSS

🌐 Language: [Deutsch](#) · [English](#)

🔧 Custom CSS

Customize the Web Client's look via CSS – through the **WEBCLIENT_CSS** system parameter or a Nuclet CSS file.

HOW-TO

LOW-CODE / DEVELOPER

UPDATED: JUL 2026

APPLIES TO NUCLOS 4.2026.X

On this page

- [Activation](#)
- [Example: highlight the active tab](#)
- [Related pages](#)

Use the system parameter **WEBCLIENT_CSS** to override the Web Client's appearance (e.g. tabs, buttons, panels).

Activation

1. Set **WEBCLIENT_CSS** under *Administration* / *Parameters*, or
2. upload a **.css** file in the Nuclet extension area.

Nuclos 4.2023.25.1 - nuclos (lokal (oracle))

The screenshot shows the Nuclos administration interface. At the top, there's a menu bar with 'Datei', 'Bearbeiten', 'Administration', 'Konfiguration', 'Hauptmenü', 'Stammdaten', 'System', 'Fenster', and 'Info'. Below the menu bar, there's a toolbar with icons for home, list, details, refresh, save, and extras. The main content area is titled 'WEBCLIENT_CSS'. It has a 'Liste' button and a 'Details' button. The 'Details' button is active. The 'Name' field is 'WEBCLIENT_CSS'. The 'Beschreibung' field is 'WEBCLIENT_CSS'. The 'Wert' field contains the following CSS code:


```
.theme-basic .btn-primary {
  background-color: #E5E5E5; /*hellgrau*/
  border-color: #0071B5; /*blau*/
  border-width: 1px;
  color: black;
}
.theme-basic .btn-primary:hover {
  background-color: #0063AF; /*dunkelblau*/
  border-color: #0063AF;
  color: white;
}
```

WEBCLIENT_CSS as a system parameter.

Example: highlight the active tab

A lighter bar above the active tab's title:

```
.tab-background {
  border-top: 4px solid rgba(0, 0, 0, 0.35);
}
.tab-background:hover {
  border-top: 4px solid rgba(255, 255, 255, 0.55);
}
.p-highlight .tab-background {
  border-top: 4px solid rgba(255, 255, 255, 0.55);
}
```



Result: highlighted tab.

More selectors

Tabs can be styled with the full power of CSS. Further selectors: `.theme-basic` `.btn-primary`, `.nuc-button-execute-rule`, `.card`, `.ag-row-selected` and many more.

Related pages

Colored rows

Color rows.

[Open](#)

Accessible layouts

Contrasts & classes.

[Open](#)

