

Login

 Language: [Deutsch](#) · [English](#)

Login

Sign in to the server – by password, single sign-on (e.g. Microsoft), anonymously, with mandator selection or biometrically.

[HOW-TO](#) [USER](#) [UPDATED: JUL 2026](#) [APPLIES TO NUCLOS APP 1.0](#)

On this page

- [With username and password](#)
- [Single sign-on \(e.g. Microsoft\)](#)
- [Explore anonymously](#)
- [Choose a mandator](#)
- [Biometric login](#)
- [New account, forgotten credentials, expired password](#)
- [After login: notices & news](#)
- [Related pages](#)

With username and password

Choose a server (see [connect a server](#)), enter user name and password, tap **Log in**. The app keeps the session via a cookie (like the Web Client).

Single sign-on (e.g. Microsoft)

If an **SSO service** is active on the server, the app offers it as its own **login button** at start – e.g. **Nuclos on Microsoft**. Tapping it opens the provider's sign-in page (OAuth2 / OpenID Connect, authorization code grant); after a successful sign-in the app session is authorised – the same principle as in the Web Client.

Nuclos

 Server: noa.nuclos.de



Benutzername



Passwort

Anmelden



Nuclos on Microsoft

Signing in via a configured SSO service (here „Nuclos on Microsoft“).



Configured on the server

Which SSO services appear as buttons is configured on the server by administration – see [SSO configuration](#) (OAuth2/OIDC, callback URL, user mapping). The user is matched to the Nuclos account by e-mail or username from the ID token.

Flow, WebView and user mapping in detail: [Single sign-on \(SSO\)](#).

Explore anonymously

If the server allows anonymous access, **Explore anonymously** appears – ideal to view a demo without credentials.

Choose a mandator

On mandator-capable Nuclets the app asks, after a successful login, which **mandator** you want to work in – only then is the session usable (like the Web Client).

Biometric login

If [biometric login](#) is enabled for the server, the app signs you in via Face ID / Touch ID – it is offered automatically on launch.

New account, forgotten credentials, expired password

- If the server allows **self-registration**, a link on the login screen leads to account creation.
- **Forgot username or password?** opens the e-mail self-service.
- If your **password has expired**, the app requires a password change before sign-in.

Full details under [Account and password](#).

After login: notices & news

Right after login the app – like the Web Client – shows confirmation-required notices (e.g. the privacy policy) that must be **accepted**; declining signs you out immediately. Informational, unread news follow.

Related pages



Install and connect to a server

Set up a server.

[Open](#)



Account and password

Register & password.

[Open](#)



Biometric login

Face ID / Touch ID.

[Open](#)