

5 DATEV: Usage

🌐 Language: [Deutsch](#) · [English](#)

🔧 5 DATEV: Usage

Usage – part of the DATEV Nuclet documentation (export of CSV files for further processing in DATEV (accounting)).

HOW-TO

INTEGRATORS

UPDATED: JUL 2026

APPLIES TO NUCLOS 4.2026.X

On this page

- [Related pages](#)

 **Machine-translated – under review**

This page was machine-translated from German as a first draft and is currently under review. The authoritative source remains the **German original** (see the language switch above).

Setting up the output directory

The directory specified as the Nuclet parameter "DATEV File Directory" must exist on the server. The Nuclos service requires read and write permissions for this directory and all subdirectories for the import operations.

Setting up the job control

- Opening the job control to be used ("DATEV Client Billing Export" for invoice exports, "DATEV Clients Export" for customer exports, "DATEV Turnover Export" for turnover exports) under "Administration" > "Job control"
- Configure start date, start time, interval, e-mail notification and options for deleting the log info.
- Activate the job control if the job is to run automatically at the configured interval. Alternatively, the job can also be run manually via the job control.

Manual execution of exports

DATEV exports can also be created and run manually:

- Open the detail view "DATEV Export" (menu path "DATEV").
- Create a new record.
- Running the export incl. the final marking of all exported records (by clicking the "Export and process references" button).
- Alternatively, the export can also be run as a preview only (by clicking the "Export" button).

 Please make sure that the specified directory exists and is writable for the Nuclos service.

Related pages

 **Nuclet: DATEV (available in the trade Nuclet)**

DATEV Nuclet data sheet

[Open](#)

 **Interfaces**

All integrations

[Open](#)