

BusinessObjectProvider

🌐 Language: [Deutsch](#) · [English](#)

BusinessObjectProvider

Create, update and delete BOs from rules – save(), *All methods and logical deletion.

REFERENZ

DEVELOPER

UPDATED: JUL 2026

APPLIES TO NUCLOS 4.2026.X

On this page

- [What is the BusinessObjectProvider for?](#)
- [save\(\)](#) – create & update
- [insertAll / updateAll / deleteAll](#)
- [deleteLogical / deleteLogicalAll](#)
- [Related pages](#)

What is the BusinessObjectProvider for?

The `BusinessObjectProvider` class provides functions to **create, update and delete** business objects from within a rule – including objects that do not belong to the current context.



Caution: parallel editing

Data already shown in forms is loaded into the rule via the context. If the same data is processed in parallel via the `BusinessObjectProvider` (update), differing edit versions can cause errors.



Modern approach

The static methods `insert`, `update` and `delete` are **deprecated**. Use the [Modifiable](#) interface instead (`save()`/`delete()` on the BO).

save() – create & update

Instantiate new BOs with `new`, fill them and store with `save()`. Assign references (e.g. `article`, `warehouse`) via their id – e.g. through the [QueryProvider](#).

```
public class BestellungenAnlegen implements InsertRule {
    public void insert(InsertContext context) throws BusinessException {

        Anfrageposition newPos = new Anfrageposition();

        Artikel myArticel = QueryProvider.getById(Artikel.class, 40465351L);
        Lager myLager = QueryProvider.getById(Lager.class, 40276065L);

        newPos.setPositionsnr(0);
        newPos.setArtikelId(myArticel.getId());
        newPos.setAnzahl(2.0d);
        newPos.setLagerId(myLager.getId());

        newPos.save();
    }
}
```

insertAll / updateAll / deleteAll

Process a `Collection` sequentially and pass each entry to the respective single method.

```
public static <T extends BusinessObject> void insertAll(Collection<T> type) throws BusinessException;
```

deleteLogical / deleteLogicalAll

Delete entries **logically** (only for BOs implementing LogicalDeletable). Existing links can prevent deletion and abort rule processing.

QueryProviders

Related pages

QueryProvider

Daten laden.

[Open](#)

DatasourceProvider

run data sources.

[Open](#)

GenerationProvider

Arbeitsschritte.

[Open](#)