

Git

🌐 Language: [Deutsch](#) · [English](#)

Git

Git base configuration for Nuclos – .gitconfig, autocrlf/CRLF pitfall and long file names on Windows.

REFERENZ

DEVELOPER

UPDATED: JUL 2026

APPLIES TO NUCLOS 4.2026.X

On this page

- [Related pages](#)

Recommended base configuration for working with the Nuclos repositories. Create a `.gitconfig` file in your home directory and adapt it to your preferences (especially `push.default`). A full overview is provided by `man git-config`.

Fehler beim Rendern des Makros 'code': Ungültiger Wert für den Parameter 'com.atlassian.confluence.ext.code.render.InvalidValueException'

```
[user]
  name = Vorname Nachname
  email = you@example.com
[core]
  editor = kate
  safecrlf = true
  autocrlf = input    ## Unix/Mac
  # autocrlf = true   ## Windows
  # longpaths = true  ## Windows, bei "Filename too long"
[push]
  default = simple
[merge]
  tool = kdiff3
[color]
  ui = auto
```



CRLF pitfall

Windows users: `autocrlf = true` causes exported nuclet files containing source code (data sources, rules) to get Windows line endings (CRLF). This can cause problems when importing on non-Windows systems – consider `autocrlf = input`.



Long file names

For „Filename too long“ on Windows:

```
git config --system core.longpaths true
```

Related pages

⚙️ Git conflict management

Merge/conflicts.

[Open](#)

