

Nuclet: Intrastat declaration

🌐 Language: [Deutsch](#) · [English](#)

💡 Nuclet: Intrastat declaration

Data sheet and documentation entry point for the Intrastat Nuclet (creating Intrastat declarations for intra-EU trade in goods).

CONCEPT

INTEGRATORS

UPDATED: JUL 2026

APPLIES TO NUCLOS 4.2026.X

On this page

- [Related pages](#)

 **Machine-translated – under review**

This page was machine-translated from German as a first draft and is currently under review. The authoritative source remains the **German original** (see the language switch above).

- [Nuclet: Intrastat declaration](#)
- [Releases](#)
- [Overview](#)
- [Important notes](#)
- [Integration](#)
- [Using the Nuclet](#)
 - [Related pages](#)
 - [Interfaces](#)
 - [Nuclet Wiki](#)

Releases

Version	Date	Notes	Compatibility	Note
1.0.0	01.01.2025	First published version	from Nuclos 4.2024.26.2	

Overview

The Nuclet enables the generation of an XML file for the monthly Intrastat declaration to the [Federal Statistical Office](#).

Important notes

A **renewed Nuclet import overwrites** the changes described below for





- Data sources
- Valuelisprovider
- integration points



A **renewed execution of the job Initialisiere Nuclet Intrastat overwrites** your changes to the *XML elements*

Integration

The integration after a successful Nuclet import (see [Nuclet import](#)) is to be carried out as follows.

Step	Description	Screenshot
------	-------------	------------

1	After importing the Nuclet, run the job <i>Initialisiere Nuclet Intrastat</i> .	
2	In the Nuclet <i>Intrastat</i> fill the two Nuclet parameters	
3	Open the menu item Configuration > Integration points and fill in the integration point Month. This is not supplied by the Nuclet, as it is often already present in the main Nuclet. If not, create such a BO in your main Nuclet and fill it with the months.	
4	Under Configuration > Data sources > Value list provider , adapt the value list provider VL P Monate .	
5	Open the menu item Werteliste n > Schnittstellen > XML Element and replace all static values in angle brackets with your own. For the address data, you can fill in further values (such as country, telephone, fax, email, URL), but you do not have to. Mandatory fields are marked accordingly. Mandatory fields outside the address data do not have to be filled with static values; here the values then come from the data sources.	


6	Adapt the data sources • <i>Intrastat Ausgangsdaten</i> (outgoing articles) • <i>Intrastat Eingangsdaten</i> (incoming articles) for your configuration so that they provide meaningful data.	
7	Under <i>Configuration > Import & Export > Object import</i>, create a new object import and import the Datei mit den Zolltarifnummern (more recent files may be available at the Federal Statistical Office). Run the created object import to import the customs tariff numbers.	

Using the Nuclet

After the successful integration of the Nuclet, you can

- the menu item *Schnittstellen > Meldung Intrastat* and open it
- create a new record
- *Year* and *Month* enter
- save

Then Nuclos generates an XML file that you can save and transmit to the Federal Statistical Office.



Related pages

Interfaces

Back to Interfaces

[Open](#)

Nuclet Wiki

Nuclet Wiki home

[Open](#)

