

Web chart relevant calls (INTERNAL)

🌐 Language: [Deutsch](#) · [English](#)

📄 Web chart relevant calls (INTERNAL)

Internal REST calls for web client charts – searchCondition and valuelist.

REFERENZ

DEVELOPER

UPDATED: JUL 2026

APPLIES TO NUCLOS 4.2026.X



Background

Internal reference of the REST calls the web client uses for charts. The searchCondition was extended for this purpose with the comparisons GT, GTE, LT, LTE and is not yet finalized.

Restricting subform results

The chart data source need not be configured in the layout. Example call with sorting and a search condition:

Fehler beim Rendern des Makros 'code': Ungültiger Wert für den Parameter 'com.atlassian.confluence.ext.code.render.InvalidValueException'

GET /rest/bos/{boMetaId}/{boId}/subBos/{refAttrId}?sort={attr}%20asc&searchCondition=Comparison:GTE:orderMonth:2015.01

Values for a filter dropdown

Via the valuelist link of an attribute:

Fehler beim Rendern des Makros 'code': Ungültiger Wert für den Parameter 'com.atlassian.confluence.ext.code.render.InvalidValueException'

GET /rest/bos/{boMetaId}/{boId}/subBos/{refAttrId}/valuelist/{attrId}

Example result: [{"name": "Hardware"}, {"name": "Software"}].

Related pages

⚙️ Charts

Charts.

[Open](#)

⚙️ 4. Reading business objects (BO)

REST read.

[Open](#)