

Nuclet import

🌐 Language: [Deutsch](#) · [English](#)

🔧 Nuclet import

Import a nuclet file – prerequisites, full vs. individual import and the conflict rule.

HOW-TO

APPLICATION DEVELOPER

UPDATED: JUL 2026

APPLIES TO NUCLOS 4.2026.X

On this page

- [Import step by step](#)
- [Import options](#)
- [Related pages](#)



Prerequisites

Before importing, configure at least one data language and check the Java heap configuration. On a production system, switch to **maintenance mode**.

Import step by step

1. Start the desktop client as a **super user**.
2. Open the nuclet under **Configuration Nuclet** and click **import**.
3. In the wizard, choose the nuclet file via ... and select an import option.
4. Start **analysis and preview** – nothing is changed until here.
5. Set nuclet parameters if any and finish with **Import....**


Import options

Option	Behaviour
Full import (until 4.39.0: „old version“)	adopts the nuclet's state; local changes are overwritten (a preview is still shown).
Individual import (expert mode) (until 4.39.0: „new version“)	compares with the current state and shows only changes; per difference „take from nuclet“ or „keep local state“.



Conflict rule

By default local changes are kept – but if the nuclet brings a change at the same spot: **the import takes precedence over the local change**.



Nuclet import wizard with import options.



After the import

A **restart of the instance** is recommended after every nuclet import.

Related pages



Nuclet

Basics.

[Open](#)



Automatic nuclet import

Auto import.

[Open](#)



Nuclet file version

Compatibility.

[Open](#)